

CAMZYOS® REMS Patient Enrollment Form

- ▶ Complete this form online at CAMZYOSREMS.com, or
- ▶ Print and complete this form and submit by fax to the CAMZYOS REMS at 833-299-9539

Patient Information (Fields marked * are REQUIRED)			
*First Name: _____	Middle Initial: _____	*Last Name: _____	
*Date of Birth: _____ <small style="text-align: center;">Month/Day/Year</small>		*Gender: <input type="checkbox"/> Female <input type="checkbox"/> Male <input type="checkbox"/> Neutral <input type="checkbox"/> Prefer Not to Say	
*Address: _____	*City: _____	*State: _____	*ZIP Code: _____
*Phone: _____ <small style="text-align: center;">Area Code/Telephone Number</small>	Alternate Phone (optional): _____ <small style="text-align: center;">Area Code/Telephone Number</small>		
*Email: _____	Preferred Method of Contact: <input type="checkbox"/> Phone <input type="checkbox"/> Email		
Person to Contact if Patient Is Not Available/Secondary Contact: _____	Phone Number for Secondary Contact: _____ <small style="text-align: center;">Area Code/Telephone Number</small>		

Certified Healthcare Provider Information (Fields marked * are REQUIRED)	
*First Name: _____	*Last Name: _____
*Healthcare Provider NPI #: _____	*Phone: _____ <small style="text-align: center;">Area Code/Telephone Number</small>

Is the patient transitioning from a clinical trial for CAMZYOS? <input type="checkbox"/> Yes <input type="checkbox"/> No
If “yes” is selected, the CAMZYOS REMS may verify the patient’s participation in a clinical trial for CAMZYOS.
If yes:
1. From which clinical trial is the patient transitioning? <input type="checkbox"/> VALOR-HCM <input type="checkbox"/> EXPLORER-LTE <input type="checkbox"/> PIONEER-OLE
2. Based on their dose of CAMZYOS in the clinical trial, will the patient be enrolling in the REMS on a dose different than expected for new patients (ie, 5 mg)? <input type="checkbox"/> Yes <input type="checkbox"/> No
3. Is the patient on a stable dose from the clinical trial? <i>A patient is on a stable dose if they are on the same dose of CAMZYOS for the last 12 weeks of their clinical trial dosing and if there are 8 weeks or less between exit from the clinical trial and enrollment into the REMS.</i> <input type="checkbox"/> Yes <input type="checkbox"/> No
If the patient is on a stable dose of CAMZYOS from the clinical trial (as indicated by answering “Yes” to Question 3 above), they are able to initiate treatment by following the monitoring schedule described in “Figure 2: Maintenance Phase” in the Prescribing Information. Patient Status Form submission is required 12 weeks following transition from the clinical trial, then a minimum every 12 weeks thereafter. If the answer to Question 3 above is “No”, submission of the Patient Status Form is required at 4 weeks, 8 weeks, and 12 weeks following transition from the clinical trial, then a minimum of every 12 weeks thereafter. LVEF must be ≥50% to continue treatment under the CAMZYOS REMS.



For internal use only

CAMZYOS® REMS

Patient Enrollment Form

Patient Agreement

- I have received, read, and understand the *Patient Brochure* that my healthcare provider has given me

Before treatment, I will:

- Enroll in the CAMZYOS REMS by completing this *Patient Enrollment Form* with my healthcare provider
- Get an echocardiogram (echo) to check my heart as directed by my doctor
- Notify my healthcare provider if I delay taking my first dose of CAMZYOS more than 7 days after receiving my first prescription of CAMZYOS from the pharmacy

My healthcare provider has counseled me, using the *Patient Brochure*, on:

- The risk of heart failure due to systolic dysfunction (when the heart cannot pump enough blood to the body)
- The risk of drug-drug interactions and the need to inform healthcare providers of all the prescription and over-the-counter medicines and supplements I take
- The need for echos during my treatment with CAMZYOS

I understand the symptoms of heart failure, including:

- shortness of breath
- chest pain
- fatigue
- a racing sensation in your heart (palpitations)
- swelling in your legs
- rapid weight gain

During treatment, I will:

- Continue to receive counseling from my healthcare provider using the *Patient Brochure* on:
 - the risk of heart failure due to systolic dysfunction (when the heart cannot pump enough blood to the body)
 - the risk of drug-drug interactions and the need to inform healthcare providers of all the prescription and over-the-counter medicines and supplements I take
- Get echos to check my heart as directed by my doctor

Before I receive each prescription:

- I will review all my prescription and over-the-counter medicines and supplements with the pharmacist
- The pharmacist will counsel me on drug-drug interactions

At all times, I will:

- Inform my healthcare provider or seek other medical attention if I have new or worsening symptoms of heart failure
- Inform all my healthcare providers that I am taking CAMZYOS
- Inform healthcare providers of all medicines, including over-the-counter medicines and supplements and any changes to my medicines



For internal use only

CAMZYOS® REMS

Patient Enrollment Form

Patient Agreement (continued)

- I understand that my protected health information will be stored in a secure and confidential database of all patients who receive CAMZYOS in the United States
- Bristol Myers Squibb and its agents will use and share my protected health information for the CAMZYOS REMS program and for FDA reporting
- I agree that Bristol Myers Squibb and its agents may contact me by phone, mail, or email to manage the CAMZYOS REMS

***Patient/Legal**

Guardian Signature: _____ ***Date:** _____
Month/Day/Year

Print Name: _____

Healthcare Provider Acknowledgment

- I have reviewed the echocardiogram result for this patient and confirmed that it is appropriate to initiate treatment with CAMZYOS (LVEF $\geq 55\%$).^{*} Echo Performed Date: _____
Month/Day/Year
- ^{*}If the patient is transitioning from a clinical trial to the REMS on a stable dose, LVEF $\geq 50\%$ is appropriate. The VLVOT for this patient is: <20 mmHg ≥ 20 mmHg and <30 mmHg ≥ 30 mmHg
- I have reviewed the patient's prescription and nonprescription medications and supplements for drug-drug interactions
 - After reviewing the patient's prescription and nonprescription medications and supplements, does the patient require a lower starting dose due to a potential drug-drug interaction?
 Yes No
- I have provided the **Patient Brochure** to the patient
- The patient is authorized to begin treatment

[Optional]

If the patient will not start taking CAMZYOS upon receipt of their first prescription from the pharmacy, please indicate the date the patient will start taking CAMZYOS (date must not be later than 90 days from the submission of this **Patient Enrollment Form**):

Treatment Start Date: _____

Reason (select only one): _____
Month/Day/Year

- Healthcare provider instruction Drug-drug interaction resolution
 Echocardiogram schedule delay Illness Patient decision

***Healthcare Provider**

or Designee Signature: _____ ***Date:** _____
Month/Day/Year

Print Name: _____



For internal use only